

【在庫品】

2023年7月現在

●:常備在庫

品名・記号	公称断面積	条長	赤	青	黄	白	黒	灰	若葉	茶	橙	緑	空	桃	紫	
VSF	0.3mm ²	200m	●	●	●	●	●					●				
	0.5mm ²		●	●	●	●	●	●		●	●	●	●	●	●	
	0.75mm ²		●	●	●	●	●	●	●		●	●	●	●	●	●
	1.25mm ²		●	●	●	●	●	●	●		●	●	●	●	●	●
	2.0mm ²		●	●	●	●	●	●	●		●	●	●			
S-HVSF	0.5mm ²	500m	●	●	●	●	●	●		●	●	●	●	●	●	
	0.75mm ²	500m	●	●	●	●	●	●		●	●	●	●	●	●	
	1.25mm ²	400m	●	●	●	●	●	●		●	●	●	●	●	●	
	2.0mm ²	200m	●	●	●	●	●	●		●	●	●				

品名・記号	公称断面積	条長	赤	青	黄	白	黒	灰	チョコ	赤×黒	白×赤	白×青	白×黒		
VFF	0.3mm ²	200m								●	●	●			
	0.5mm ²	100m				●	●	●		●	●	●	●		
	0.75mm ²		300m	●	●	●	●	●		●	●	●	●		
	1.25mm ²	100m	●	●	●	●	●	●		●	●	●	●		
	2.0mm ²					●	●	●		●	●	●			
VFF (ホビン)	0.3mm ²	200m								●	●	●			
	0.5mm ²	100m				●	●	●		●	●	●	●		
	0.75mm ²					●	●	●		●	●	●	●		
	1.25mm ²					●	●	●		●	●	●	●		
	2.0mm ²					●	●	●		●	●	●			
S-HVFF	0.5mm ²	100m													
	0.75mm ²	300m				●	●	●							
	1.25mm ²	100m													
	2.0mm ²														
EM-CFF	0.75mm ²	200m													
	1.25mm ²														
	2.0mm ²														

品名・記号	公称断面積	条長	赤	青	黄	白	黒	灰	チョコ	赤×黒	白×赤	白×青		
VCTF	2×0.75mm ²	200m					●*	●						
	2×1.25mm ²						●*	●						
	2×2.0mm ²						●*	●						
	3×0.75mm ²						●*	●						
	3×1.25mm ²						●*	●						
	3×2.0mm ²						●*	●			* 黒はソフトタイプになります。			
VCTFK	0.5mm ²	100m												
	0.75mm ²					●	●	●						
	1.25mm ²					●	●	●						
	2.0mm ²					●	●	●						
EM-CCTFK	0.75mm ²	100m												
	1.25mm ²													
	2.0mm ²													

品名・記号	公称断面積	条長	赤	青	黄	白	黒	灰	若葉	茶	橙	緑	空	桃	紫	
KV	0.3mm ²	200m	●	●	●	●	●	●		●	●	●	●	●	●	
	0.5mm ²		●	●	●	●	●	●		●	●	●	●	●	●	
	0.75mm ²		●	●	●	●	●	●	●		●	●	●	●	●	●
	1.25mm ²		●	●	●	●	●	●	●		●	●	●	●	●	●
S-HKV	0.3mm ²	500m	●	●	●	●	●	●		●	●	●	●	●	●	
	0.5mm ²		●	●	●	●	●	●		●	●	●	●	●	●	

【在庫品】

2023年7月現在

●:常備在庫

品名・記号	公称断面積	条長	赤	青	黄	白	黒	灰	若葉	茶	橙	緑	空	桃	紫	
HB-KEX	0.3mm ²	500m														
	0.5mm ²	400m														
	0.75mm ²	300m														
	1.25mm ²	200m														
	2.0mm ²															
HB-KX	0.2mm ²	1000m	●	●	●	●	●					●				
	0.3mm ²	500m	●	●	●	●	●					●				
	0.5mm ²		●	●	●	●	●					●				
	0.75mm ²		●	●	●	●	●						●			
	1.25mm ²		300m	●	●	●	●	●					●			
	2.0mm ²	200m	●	●	●	●	●					●				

品名・記号	公称断面積	条長	赤	青	黄	白	黒	灰	茶	橙	緑	緑×黄	黄×緑			
KIV	0.5mm ²	200m	●	●	●	●	●		●		●					
	0.75mm ²		●	●	●	●	●	●	●	●	●	●	●			
	1.25mm ²		●	●	●	●	●	●	●	●	●	●	●	●		
	2.0mm ²		●	●	●	●	●	●	●	●	●	●	●	●		
	3.5mm ²	100m	●	●	●	●	●				●	●	●			
	5.5mm ²		●	●	●	●	●				●	●	●			
	8.0mm ²		●	●	●	●	●					●	●	●		
	14mm ²		●	●	●	●	●					●				
HKIV	0.75mm ²	500m	●	●	●	●	●				●					
	1.25mm ²	200m	●	●	●	●	●				●					
	2.0mm ²		●	●	●	●	●				●					
	3.5mm ²	100m	●	●	●	●	●				●					
	5.5mm ²		●	●	●	●	●				●					
	8.0mm ²															

品名・記号	导体サイズ	条長	赤	青	黄	白	黒	灰							
HIV	0.8mm	500m	●	●	●	●	●	●							
	1.0mm		●	●	●	●	●	●	●						

品名・記号	公称断面積	条長	赤	青	黄	白	黒	灰	茶	橙	緑	緑×黄	黄×緑			
EM-KIC	0.5mm ²	200m	●	●	●	●	●				●					
	0.75mm ²		●	●	●	●	●				●					
	1.25mm ²		●	●	●	●	●					●				
	2.0mm ²		●	●	●	●	●					●				
	3.5mm ²	100m	●	●	●	●	●				●					
	5.5mm ²		●	●	●	●	●				●					
	8.0mm ²															
HB-KIX	0.75mm ²	500m	●	●	●	●	●				●					
	1.25mm ²	300m	●	●	●	●	●				●					
	2.0mm ²		●	●	●	●	●				●					
EM-HBKIX (UV)	0.75mm ²	500m														
	1.25mm ²	300m														
	2.0mm ²															

現在庫限り

品名・記号	公称断面積	条長	赤	青	黄	白	黒	緑							
EM-KICML	0.75mm ²	200m					●								
	1.25mm ²						●								
	2.0mm ²						●								
	3.5mm ²	100m					●								
	5.5mm ²						●								
	8.0mm ²						●								

【在庫品】

2023年7月現在

●:常備在庫

記号	導体サイズ	条長	赤	青	黄	白	黒	灰	茶	橙	緑	空	桃	紫	緑×黄	スパイラル
AWM 1007 CSA TR-64	28AWG	610m	●	●	●	●	●	●	●	●	●	●	●	●		
	26AWG		●	●	●	●	●	●	●	●	●	●	●	●		
	24AWG		●	●	●	●	●	●	●	●	●	●	●	●		●
	22AWG		●	●	●	●	●	●	●	●	●	●	●	●	●	●
	20AWG	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
	18AWG	305m	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	16AWG		●	●	●	●	●	●	●	●	●	●	●	●	●	●
14AWG																

スパイラルは緑×黄

記号	導体サイズ	条長	赤	青	黄	白	黒	灰	茶	橙	緑	空	桃	紫	緑×黄	スパイラル
AWM 1015 CSA TEW	24AWG	305m														
	22AWG		●	●	●	●	●	●	●	●	●	●	●	●	●	●
	20AWG		●	●	●	●	●	●	●	●	●	●	●	●	●	●
	18AWG		●	●	●	●	●	●	●	●	●	●	●	●	●	●
	16AWG	●	●	●	●	●	●	●	●	●	●				●	
	14AWG	153m	●	●	●	●	●	●	●	●	●				●	
	12AWG		●	●	●	●	●	●	●	●	●				●	
10AWG	●		●	●	●	●	●	●	●	●				●		

スパイラルは緑×黄

品名・記号	公称断面積 (導体サイズ)	条長	赤	青	黄	白	黒	灰	茶	橙	緑	緑×黄				
MTW +AWM 1015 +AWM I A/B	0.5mm ² (20AWG)	305m	●	●	●	●	●					●				
MTW +AWM 1015 +AWM I A/B +HKIV	0.75mm ² (18AWG)	305m	●	●	●	●	●			●		●				
	1.0mm ² (18AWG)		●	●	●	●	●			●		●				
H07V2-K +MTW +AWM 1015 +AWM I A/B +60227 IEC02	1.5mm ² (16AWG)	153m	●	●	●	●	●					●				
	2.5mm ² (14AWG)	107m	●	●	●	●	●					●				
	4.0mm ² (12AWG)		●				●					●				
	6.0mm ² (10AWG)		●				●					●				

品名・記号	公称断面積	条長	黒	白	黒×白ライン
H-CV	2.0mm ²	205m	●	●	
		1000m	●	●	
	5.5mm ²	150m	●	●	
		1000m	●	●	

H-CV 3.5mm² 黒

◆延長ケーブルセット

標準長:L寸法 10m・20m・30m・40m・50m・60m・70m・80m

◆接続ケーブル

標準長:L寸法 5m・10m・20m

品名・記号	公称断面積	条長	黒	黒×白ライン
PV-CC	3.5mm ²	200m	●	●
		1000m	●	●
	5.5mm ²	150m	●	●
		1000m	●	●

品名・記号	公称断面積	条長	黒	黒×白ライン
H EM-CE	2.0mm ²	205m		
	3.5mm ²	205m	●	

【在庫品】

2023年7月現在

●:常備在庫

記号	公称断面積	条長	赤	青	黄	白	黒	灰	若葉	茶	橙	緑	空	桃	紫
AESSX	0.3f mm ²	2000m													
	0.5f mm ²	1500m	●	●		●	●					●			
	0.75f mm ²	1000m	●	●	●	●	●					●			
	1.25f mm ²	800m													
	2.0f mm ²	500m													

記号	公称断面積	条長	赤	青	黄	白	黒	灰	若葉	茶	橙	緑	空	桃	紫
CIVUS	0.13mm ²	5000m													
	0.22mm ²	2800m	●	●	●	●	●	●	●	●	●	●	●	●	●
	0.35mm ²	2700m	●	●	●	●	●	●	●	●	●	●	●	●	●
	0.5mm ²	1800m													
	0.75mm ²	1400m													
	1.25mm ²	900m													

品種	品名	条長	黒	灰
同軸 ケーブル	3C-2V	100m	●	
	5C-2V		●	
	JIS 3C-2V		●	
	JIS 5C-2V		●	
	JIS 3D-2V			●
	JIS 5D-2V			●
	S-4C-FB			●
	S-5C-FB		●	
	S-7C-FB			

品名・記号	線心数	導体径	条長	灰
TIVF	2	0.65mmA	200m	●
		0.8mmA		●

品名・記号	線心数	導体径	条長	灰
EM-TIEF	2	0.65mmA	200m	●
		0.8mmA		●

品名・記号	線心数	公称断面積	条長	灰
EM-MEES	2	0.75mm ²	100m	●
		1.25mm ²		●

品名・記号	支持線外径	心線外径	条長	灰
TOV-SS	1.2mm	0.8mmA	200m	●
	1.4mm	1.2mmA		●

品名・記号	導体サイズ [*]	条長	白	灰
FL	0.75mm ²	100m	●	●

品名・記号	導体サイズ [*]	条長	黒
BCV	0.9mmA	300m	●
	1.2mmA	300m	●
	1.6mmA	300m	●

現在庫限り

品名・記号	芯数	導体サイズ [*]	条長	黒
HBSE	2	26AWG	100m	●
			300m	●
	3		100m	●
			300m	●
			22AWG	100m



【在庫品】
《プラグ付電源コード》

定格電流	使用コード	プラグ	条長	入数	白	黒	灰
7A	VFF0.75mm ²	CS-265	2m	200本	●	●	●
			3m	150本	●	●	●
12A	VFF1.25mm ²	CS-060	2m	150本	●	●	●
			3m	100本	●	●	●
7A	VCTFK0.75mm ²	CS-479	2m	150本			●
			3m	100本			●
12A	VCTFK1.25mm ²	CS-489	2m	100本			●
			3m	75本			●
7A	VCTF2×0.75mm ²	CS-149	2m	125本			●
			3m	80本			●
12A	VCTF2×1.25mm ²	CS-146		50本			●
					15A	VCTF2×2.0mm ²	CS-197
7A	VCTF3×0.75mm ²	CS-271		50本			
					12A	VCTF3×1.25mm ²	CS-270
15A	VCTF3×2.0mm ²	CS-269		40本			

《プラグ付電源コード 抗菌仕様》

定格電流	使用コード	プラグ	条長	入数	白	黒	灰
7A	VFF0.75mm ²	CS-265	2m	200本	●	●	●
			3m	150本	●	●	●
12A	VFF1.25mm ²	CS-060	2m	150本	●	●	●
			3m	100本	●	●	●
7A	VCTFK0.75mm ²	CS-479	2m	150本			●
			3m	100本			●
12A	VCTFK1.25mm ²	CS-489	2m	100本			●
			3m	75本			●
15A	VCTFK2.0mm ²	CS-189	2m	75本			●
			3m	50本			●
7A	VCTF2×0.75mm ²	CS-149	2m	125本			●
			3m	80本			●
12A	VCTF2×1.25mm ²	CS-146		50本			●
					15A	VCTF2×2.0mm ²	CS-197
7A	VCTF3×0.75mm ²	CS-271		50本			
					12A	VCTF3×1.25mm ²	CS-270
15A	VCTF3×2.0mm ²	CS-269		40本			
			【 3 極 コ ー ド セ ッ ト 】				
7A	VCTF3×0.75mm ²	オス:CS-271	2m	50本		●	●
		メス:CCB-201	3m			●	●
12A	VCTF3×1.25mm ²	オス:CS-270	2m	50本		●	●
		メス:CCB-202	3m			●	●
15A	VCTF3×2.0mm ²	オス:CS-269	2m	40本		●	●
		メス:CCB-203	3m			●	●